

# Safety Data Sheet

## according to GHS

**Trade name :** FD 333 wipes Quick-acting disinfection  
**Revision date :** 14.04.2021  
**Print date :** 27.04.2021

**Version :** 1.0.0

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

FD 333 wipes Quick-acting disinfection

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

FD 333 wipes are suitable for wipe disinfecting and cleaning surfaces of medical devices.

##### Products Category [PC]

PC 0 - Other

Disinfectants

##### Uses advised against

None, if handled according to order.

##### Remark

The product is intended for professional use.

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier (manufacturer/importer/only representative/downstream user/distributor)

orochemie GmbH + Co. KG

**Street :** Max-Planck-Straße 27

**Postal code/city :** 70806 Kornwestheim

**Telephone :** +49 7154 1308-0

**Telefax :** +49 7154 1308-40

**Information contact :** DÜRR DENTAL SE, Höpfigheimer Str. 17, 74321 Bietigheim-Bissingen, Germany

Tel: +49 7142 705-0, Fax: +49 7142 705-500, info@duerrdental.com

Distributor in New Zealand:

Ivoclar Vivadent Ltd, PO Box 303011, North Harbour, Auckland, 0751, Phone +64 9 914 9999 Fax+64 9 914 9990

#### 1.4 Emergency telephone number

NZ: National Poison Centre (New Zealand) 0800 764 766 Poisons Hotline (24 hours/7days)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to GHS

Flam. Sol. 1 ; H228 - Flammable solids : Category 1 ; Flammable solid.

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.

##### Classification procedure

The classification was carried out according to the calculation method of GHS as well as in-house investigations.

#### 2.2 Label elements

##### Labelling according to GHS

##### Hazard pictograms



Flame (GHS02) · Exclamation mark (GHS07)

##### Signal word

Danger

##### Hazard statements

# Safety Data Sheet

## according to GHS

**Trade name :** FD 333 wipes Quick-acting disinfection  
**Revision date :** 14.04.2021  
**Print date :** 27.04.2021

**Version :** 1.0.0

H228 Flammable solid.  
H319 Causes serious eye irritation.

### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P280 Wear protective gloves and eye/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P501 Dispose of contents/container to hazardous or special waste collection point.

### 2.3 Other hazards

None

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Description

FD 333 wipes contains alcohols, quaternary ammonium compounds and auxiliary agents in aqueous solution.

#### Hazardous ingredients

ETHANOL ; REACH No. : 01-2119457610-43 ; EC No. : 200-578-6; CAS No. : 64-17-5

Weight fraction :  $\geq 60 - < 65$  %  
Classification [GHS] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319

PROPAN-2-OL ; REACH No. : 01-2119457558-25 ; EC No. : 200-661-7; CAS No. : 67-63-0

Weight fraction :  $\geq 1 - < 5$  %  
Classification [GHS] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319 STOT SE 3 ; H336

DIDECYLDIMETHYLAMMONIUM CHLORIDE ; REACH No. : 01-2119945987-15 ; EC No. : 230-525-2; CAS No. : 7173-51-5 (M Acute=10) (M Chronic=1)

Weight fraction :  $< 0,06$  %  
Classification [GHS] : Acute Tox. 3 ; H301 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410

#### Additional information

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

No special measures are necessary.

#### In case of skin contact

Wash with plenty of water. When in doubt or if symptoms are observed, get medical advice.

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

No special measures are necessary. Never give anything by mouth to an unconscious person or a person with cramps.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes.

### 4.3 Indication of any immediate medical attention and special treatment needed

None

# Safety Data Sheet

## according to GHS

Trade name : FD 333 wipes Quick-acting disinfection  
Revision date : 14.04.2021  
Print date : 27.04.2021

Version : 1.0.0

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>) Extinguishing powder Water spray jet Water mist

##### Unsuitable extinguishing media

Full water jet

#### 5.2 Special hazards arising from the substance or mixture

None known.

##### Hazardous combustion products

None known.

#### 5.3 Advice for firefighters

Adapt protective equipment to surrounding fire.

##### Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Remove all sources of ignition. When using do not smoke. See protective measures under point 7 and 8.

##### For non-emergency personnel

Use personal protection equipment. See protective measures under point 7 and 8.

##### For emergency responders

###### Personal protection equipment

See protective measures under point 7 and 8.

#### 6.2 Environmental precautions

No special environmental measures are necessary.

#### 6.3 Methods and material for containment and cleaning up

##### For cleaning up

No special measures are necessary.

##### Other information

Dispose of used cloths in the household waste - do not throw them down the toilet.

#### 6.4 Reference to other sections

None

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Please note safety instructions and directions for use on the drum.

##### Protective measures

###### Measures to prevent fire

Usual measures for fire prevention. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Do not store in temperatures below 5 °C.

##### Hints on joint storage

Store the foodstuffs separately. Do not store together with oxidizing, self-igniting substances and highly flammable solid substances. Do not store together with highly flammable substances.

# Safety Data Sheet

## according to GHS

**Trade name :** FD 333 wipes Quick-acting disinfection  
**Revision date :** 14.04.2021  
**Print date :** 27.04.2021

**Version :** 1.0.0

### 7.3 Specific end use(s)

None

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

ETHANOL ; CAS No. : 64-17-5

Limit value type (country of origin) : TLV/TWA ( AUS )

Limit value : 1000 ppm / 1880 mg/m<sup>3</sup>

PROPAN-2-OL ; CAS No. : 67-63-0

Limit value type (country of origin) : TLV/STEL ( AUS )

Limit value : 500 ppm / 1230 mg/m<sup>3</sup>

Limit value type (country of origin) : TLV/TWA ( AUS )

Limit value : 400 ppm / 983 mg/m<sup>3</sup>

#### DNEL-/PNEC-values

There are no data available on the preparation itself.

#### DNEL/DMEL

ETHANOL ; CAS No. : 64-17-5

Limit value type : DNEL Consumer (local)

Exposure route : Inhalation

Exposure frequency : Short-term

Limit value : 950 mg/m<sup>3</sup>

Limit value type : DNEL Consumer (systemic)

Exposure route : Oral

Exposure frequency : Long-term

Limit value : 87 mg/kg

Safety factor : 24 h

Limit value type : DNEL Consumer (systemic)

Exposure route : Dermal

Exposure frequency : Long-term

Limit value : 206 mg/kg

Safety factor : 24 h

Limit value type : DNEL Consumer (systemic)

Exposure route : Inhalation

Exposure frequency : Long-term

Limit value : 114 mg/m<sup>3</sup>

Limit value type : DNEL worker (local)

Exposure route : Inhalation

Exposure frequency : Short-term

Limit value : 1900 mg/m<sup>3</sup>

Limit value type : DNEL worker (systemic)

Exposure route : Dermal

Exposure frequency : Long-term

Limit value : 343 mg/kg

Safety factor : 24 h

Limit value type : DNEL worker (systemic)

Exposure route : Inhalation

Exposure frequency : Long-term

Limit value : 950 mg/m<sup>3</sup>

PROPAN-2-OL ; CAS No. : 67-63-0

Limit value type : DNEL Consumer (systemic)

Exposure route : Dermal

Exposure frequency : Long-term

# Safety Data Sheet

## according to GHS

**Trade name :** FD 333 wipes Quick-acting disinfection  
**Revision date :** 14.04.2021  
**Print date :** 27.04.2021

**Version :** 1.0.0

Limit value : 319 mg/kg  
Safety factor : 24 h  
Limit value type : DNEL Consumer (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 89 mg/m<sup>3</sup>  
Limit value type : DNEL Consumer (systemic)  
Exposure route : Oral  
Exposure frequency : Long-term  
Limit value : 26 mg/kg  
Safety factor : 24 h  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 888 mg/kg  
Safety factor : 24 h  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 500 mg/m<sup>3</sup>

### DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5

Limit value type : DNEL worker (systemic)  
Exposure route : Oral  
Exposure frequency : Long-term  
Limit value : 18,2 mg/m<sup>3</sup>  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 8,6 mg/kg  
Safety factor : 24 h  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 5,39 mg/m<sup>3</sup>  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Short-term  
Limit value : 5,39 mg/m<sup>3</sup>  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 1,55 mg/kg  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Short-term  
Limit value : 1,55 mg/kg

### PNEC

#### ETHANOL ; CAS No. : 64-17-5

Limit value type : PNEC (Aquatic, freshwater)  
Limit value : 0,96 mg/l  
Limit value type : PNEC (Aquatic, marine water)  
Limit value : 0,79 mg/l  
Limit value type : PNEC (Industrial)  
Exposure route : Soil  
Limit value : 0,63 mg/kg  
Limit value type : PNEC (Sediment, freshwater)

# Safety Data Sheet

## according to GHS

**Trade name :** FD 333 wipes Quick-acting disinfection  
**Revision date :** 14.04.2021  
**Print date :** 27.04.2021

**Version :** 1.0.0

---

Limit value :	3,6 mg/kg
Limit value type :	PNEC (Sediment, marine water)
Limit value :	2,9 mg/kg
Limit value type :	PNEC (Secondary poisoning)
Limit value :	729 mg/kg
Limit value type :	PNEC (Sewage treatment plant)
Limit value :	580 mg/l
PROPAN-2-OL ; CAS No. : 67-63-0	
Limit value type :	PNEC (Aquatic, freshwater)
Limit value :	140,9 mg/l
Limit value type :	PNEC (Aquatic, marine water)
Limit value :	140,9 mg/l
Limit value type :	PNEC (Industrial)
Exposure route :	Soil
Limit value :	28 mg/kg
Limit value type :	PNEC (Sediment, freshwater)
Limit value :	552 mg/kg
Limit value type :	PNEC (Sediment, marine water)
Limit value :	552 mg/kg
Limit value type :	PNEC (Secondary poisoning)
Limit value :	160 mg/kg
Limit value type :	PNEC (Sewage treatment plant)
Limit value :	2251 mg/l
DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5	
Limit value type :	PNEC (Aquatic, freshwater)
Limit value :	0,002 mg/l
Limit value type :	PNEC (Aquatic, marine water)
Limit value :	0,0002 mg/l
Limit value type :	PNEC (Industrial)
Exposure route :	Soil
Limit value :	1,4 mg/kg
Limit value type :	PNEC (Sediment, freshwater)
Limit value :	2,82 mg/kg
Limit value type :	PNEC (Sediment, marine water)
Limit value :	0,282 mg/kg
Limit value type :	PNEC (Sewage treatment plant)
Limit value :	0,595 mg/l

## 8.2 Exposure controls

### Personal protection equipment

#### Eye/face protection

Eye glasses with side protection DIN EN 166

Use tightly fitting safety glasses as per Australian Standard AS 1336 and AS/NZS 1337. Safety glasses with side shields

#### Skin protection

##### Hand protection

Short-term exposure (Level 2: < 30 min): disposable gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.1 mm.

Long-term exposure (Level 6: < 480 min): protective gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.7 mm.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Wear impervious rubber gloves (AS2161).

##### Body protection

Body protection: not required.

#### Respiratory protection

No special measures are necessary.

# Safety Data Sheet

## according to GHS

Trade name : FD 333 wipes Quick-acting disinfection  
Revision date : 14.04.2021  
Print date : 27.04.2021

Version : 1.0.0

### General information

Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and after work. Separate storage of work clothes. When using do not eat, drink, smoke, sniff.

### Other protection measures

Provide adequate ventilation.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance :** wipes

**Colour :** white

**Odour :** Alcohol

#### Safety characteristics

**Melting point/freezing point :** ( 1013 hPa ) not applicable

**Initial boiling point and boiling range :** ( 1013 hPa ) not applicable

**Decomposition temperature :** ( 1013 hPa ) not applicable

**Flash point :** Combustible

**Auto-ignition temperature :** Combustible

**Lower explosion limit :** not applicable

**Upper explosion limit :** not applicable

**Vapour pressure :** ( 50 °C ) not applicable

**Density :** ( 20 °C ) none

**Solvent separation test :** ( 20 °C ) not applicable

**Water solubility :** ( 20 °C ) not applicable

**pH value :** not applicable

**log P O/W :** not relevant

**Flow time :** ( 20 °C ) not applicable DIN-cup 4 mm

**Odour threshold :** No data available

**Maximum VOC content (EC) :** 66 Wt %

**Flammable solids :** Flammable solid.

**Oxidising solids :** Not applicable.

**Corrosive to metals :** Not corrosive to metals.

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None, if handled according to order.

### 10.2 Chemical stability

Flammable solid.

### 10.3 Possibility of hazardous reactions

None, if handled according to order.

### 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

None known.

## SECTION 11: Toxicological information

# Safety Data Sheet

## according to GHS

**Trade name :** FD 333 wipes Quick-acting disinfection  
**Revision date :** 14.04.2021  
**Print date :** 27.04.2021

**Version :** 1.0.0

### 11.1 Information on toxicological effects

Concentrate:

#### Acute toxicity

Based on available data, the classification criteria are not met.

##### Acute oral toxicity

Parameter : LD50  
Exposure route : Oral  
Species : Rat  
Effective dose : > 2000 mg/kg  
Method : OECD 423  
Parameter : ATEmix calculated  
Exposure route : Oral  
Effective dose : not relevant  
Parameter : ATE ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Exposure route : Oral  
Effective dose : 500 mg/kg

##### Practical experience/human evidence

Eye contact: irritation. The product does not have any skin irritating or sensitizing properties. There is no inhalation risk under normal application conditions.

##### Acute dermal toxicity

Parameter : ATEmix calculated  
Exposure route : Dermal  
Effective dose : not relevant  
Parameter : LD50 ( ETHANOL ; CAS No. : 64-17-5 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : 20 g/kg  
Parameter : LD50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : 12800 mg/kg  
Parameter : LD50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : 13900 mg/kg  
Method : OECD 402  
Parameter : LD50 ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : 3342 mg/kg

##### Acute inhalation toxicity

Parameter : ATEmix calculated  
Exposure route : Inhalation (dust/mist)  
Effective dose : not relevant  
Parameter : LC50 ( ETHANOL ; CAS No. : 64-17-5 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : 125 mg/l  
Exposure time : 4 h  
Method : OECD 403  
Parameter : LC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Inhalation  
Species : Mouse  
Effective dose : 27,2 mg/l



# Safety Data Sheet

## according to GHS

**Trade name :** FD 333 wipes Quick-acting disinfection  
**Revision date :** 14.04.2021  
**Print date :** 27.04.2021

**Version :** 1.0.0

---

Exposure time : 4 h  
Parameter : LC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 25 mg/l  
Exposure time : 6 h  
Method : OECD 403  
Parameter : LC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : 72,6 mg/l  
Exposure time : 4 h  
Parameter : LC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Inhalation (vapour)  
Species : Rat  
Effective dose : > 10000 ppm  
Exposure time : 6 h  
Parameter : LD50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Exposure route : Inhalation (vapour)  
Species : Rat  
Effective dose : 47,5 mg/l

### Corrosion

Rabbit skin: no irritation. Method : OECD 404. Rabbit eye: irritant. Method : OECD 405.

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met. Guinea-pig: non-sensitizing. Method : OECD 406.

### Repeated dose toxicity (subacute, subchronic, chronic)

#### Subacute oral toxicity

Parameter : NOAEL(C) ( ETHANOL ; CAS No. : 64-17-5 )  
Exposure route : Oral  
Species : Rat  
Effective dose : 1730 mg/kg  
Exposure time : 24 h  
Method : OECD 408

#### Subacute inhalation toxicity

Parameter : NOAEL(C) ( ETHANOL ; CAS No. : 64-17-5 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 20 mg/l

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Safety Data Sheet

## according to GHS

Trade name : FD 333 wipes Quick-acting disinfection  
Revision date : 14.04.2021  
Print date : 27.04.2021

Version : 1.0.0

### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.5 Additional information

The classification was carried out according to the calculation method of GHS as well as in-house investigations.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity

Based on available data, the classification criteria are not met.

##### Acute (short-term) fish toxicity

Parameter : LC50 ( ETHANOL ; CAS No. : 64-17-5 )  
Species : Oncorhynchus mykiss (Rainbow trout)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 11200 mg/l  
Parameter : LC50 ( ETHANOL ; CAS No. : 64-17-5 )  
Species : Pimephales promelas (fathead minnow)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : > 15000 mg/l  
Exposure time : 96 h

##### Chronic (long-term) fish toxicity

Parameter : NOEC ( ETHANOL ; CAS No. : 64-17-5 )  
Species : Ceriodaphnia spec  
Evaluation parameter : Acute (short-term) daphnia toxicity  
Effective dose : 9,6 mg/l

##### Acute (short-term) toxicity to crustacea

Parameter : EC50 ( ETHANOL ; CAS No. : 64-17-5 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) daphnia toxicity  
Effective dose : 9200 - 14300 mg/l  
Exposure time : 48 h  
Parameter : EC50 ( ETHANOL ; CAS No. : 64-17-5 )  
Species : Ceriodaphnia spec  
Evaluation parameter : Acute (short-term) daphnia toxicity  
Effective dose : 1806 mg/l

##### Chronic (long-term) toxicity to crustacea

Parameter : NOEC ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Chronic (long-term) daphnia toxicity  
Effective dose : 0,014 mg/l  
Exposure time : 504 h  
Method : OECD 211  
Parameter : NOEC ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Chronic (long-term) daphnia toxicity  
Effective dose : > 0,01 - 0,1 mg/l  
Method : OECD 211

##### Acute (short-term) toxicity to aquatic algae and cyanobacteria

Parameter : EC50 ( ETHANOL ; CAS No. : 64-17-5 )  
Species : Chlorella vulgaris  
Evaluation parameter : Acute (short-term) algae toxicity  
Effective dose : 275 mg/l  
Parameter : EC50 ( ETHANOL ; CAS No. : 64-17-5 )  
Species : Selenastrum capricornutum  
Evaluation parameter : Acute (short-term) algae toxicity

# Safety Data Sheet

## according to GHS

**Trade name :** FD 333 wipes Quick-acting disinfection  
**Revision date :** 14.04.2021  
**Print date :** 27.04.2021

**Version :** 1.0.0

Effective dose : 440 mg/l  
Parameter : IC50 ( ETHANOL ; CAS No. : 64-17-5 )  
Species : Scenedesmus subspicatus  
Evaluation parameter : Acute (short-term) algae toxicity  
Effective dose : > 100 mg/l  
Parameter : ErC50 ( ETHANOL ; CAS No. : 64-17-5 )  
Species : Pseudokirchneriella subcapitata  
Evaluation parameter : Acute (short-term) algae toxicity  
Effective dose : > 4800 mg/l  
Exposure time : 72 h  
Method : OECD 201

### Chronic (long-term) algae toxicity

Parameter : NOEC ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Species : Pseudokirchneriella subcapitata  
Evaluation parameter : Chronic (long-term) algae toxicity  
Effective dose : > 0,01 - 0,1 mg/l  
Exposure time : 72 h  
Method : OECD 201

### Toxicity to microorganisms

Parameter : EC50 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Evaluation parameter : Bacteria toxicity  
Effective dose : > 100 mg/l  
Parameter : EC10 ( PROPAN-2-OL ; CAS No. : 67-63-0 )  
Species : Pseudomonas putida  
Evaluation parameter : Bacteria toxicity  
Effective dose : 5175 mg/l  
Exposure time : 18 h  
Parameter : EC50 ( DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5 )  
Evaluation parameter : Bacteria toxicity  
Effective dose : 11 mg/l  
Exposure time : 3 h  
Method : OECD 209

### Sewage treatment plant

Parameter : EC50 ( ETHANOL ; CAS No. : 64-17-5 )  
Inoculum : Effects in sewage plants  
Effective dose : 5800 mg/l  
Exposure time : 4 h

## 12.2 Persistence and degradability

### Abiotic degradation

No data available.

### Biodegradation

All active agents are biodegradable at the dilution rates arising in the sewage system. Dispose of used cloths in the household waste - do not throw them down the toilet.

## 12.3 Bioaccumulative potential

No information available.

## 12.4 Mobility in soil

### Distribution

Wipes: No data available

## 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6 Other adverse effects

No information available.

## 12.7 Additional ecotoxicological information

# Safety Data Sheet

## according to GHS

Trade name : FD 333 wipes Quick-acting disinfection  
Revision date : 14.04.2021  
Print date : 27.04.2021

Version : 1.0.0

Do not allow to enter into surface water or drains.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Directive 2008/98/EC (Waste Framework Directive)

###### After intended use

###### Disposal operations

Dispose according to legislation. Dispose of used cloths in the household waste - do not throw them down the toilet. Consult the appropriate local waste disposal expert about waste disposal.

###### Recovery operations

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Contact a specialist disposal company or the local waste regulator for advice. This should be done in accordance with 'The Hazardous Waste Act'. Can be eliminated with domestic garbage on condition it complies with local regulations.

###### Waste codes/waste designations according to EWC/AVV

Concentrate/larger quantities: 18 01 06\* (disinfectant).

### SECTION 14: Transport information

#### 14.1 UN number

UN 3175

#### 14.2 UN proper shipping name

##### Land transport (ADR/RID)

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. ( ETHANOL )

##### Sea transport (IMDG)

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (contains ETHANOL )

##### Air transport (ICAO-TI / IATA-DGR)

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (contains ETHANOL )

#### 14.3 Transport hazard class(es)

##### Land transport (ADR/RID)

Class(es) : 4.1  
Classification code : F1  
Hazard identification number (Kemler No.) : 40  
Tunnel restriction code : E  
Special provisions : LQ 1 kg · E 2  
Hazard label(s) : 4.1

##### Sea transport (IMDG)

Class(es) : 4.1  
EmS-No. : F-A / S-I  
Special provisions : LQ 1 kg · E 2  
Hazard label(s) : 4.1

##### Air transport (ICAO-TI / IATA-DGR)

Class(es) : 4.1  
Special provisions : E 2  
Hazard label(s) : 4.1

#### 14.4 Packing group

II

#### 14.5 Environmental hazards

Land transport (ADR/RID) : No

Sea transport (IMDG) : No

# Safety Data Sheet

## according to GHS

**Trade name :** FD 333 wipes Quick-acting disinfection  
**Revision date :** 14.04.2021  
**Print date :** 27.04.2021

**Version :** 1.0.0

**Air transport (ICAO-TI / IATA-DGR) :** No

### 14.6 Special precautions for user

None

### 14.7 Maritime transport in bulk according to IMO instruments

No

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

EPA NZ Classes of hazardous properties none

**NZ HSNO Approval: HSR001144** Substance Grouping: Dangerous Good

HSNO Classification: 3.1B, 6.4A

GHS Classifications: Flammable liquid Category 2, Eye irritation Category 2.

**NZ HSNO Approval: HSR001180** Substance Grouping: Dangerous Good

HSNO Classification: 3.1B, 6.1E (All), 6.1E (O), 6.3B, 6.4A

GHS Classifications: Flammable liquid Category 2, Aspiration hazard Category 1, Eye irritation Category 2.

**NZ HSNO Approval: HSR002708** Substance Grouping: Active Ingredient

HSNO Classification: 3.1C, 6.1C (All), 6.1C (O), 6.5B, 8.2B, 8.3A, 9.1A (All), 9.1A (F), 9.1A (C), 9.1A (A), 9.3B

GHS Classifications: Flammable liquid Category 3, Acute oral toxicity Category 3, Skin corrosion Category 1B, Serious eye damage Category 1, Skin sensitisation Category 1, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute Category 1,

### 15.2 Chemical safety assessment

For this mixture a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### 16.1 Indication of changes

None

### 16.2 Abbreviations and acronyms

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimates

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CMR = Carcinogen, Mutagen or Reproductive toxicant

CO<sub>2</sub> = Carbon dioxide

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EC = European Commission

EC50 = Half maximal effective concentration

EN = European Standard (Norm)

EU = European Union

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

H statement = GHS Hazard statement

IATA = International Air Transport Association ICAO-TI = International Civil Aviation Organization-Technical Instructions

IMDG = International Maritime Dangerous Goods

LC50 = Median lethal concentration

LD50 = Median lethal dose

LogPow = Logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

NOEC/NOEL = No observed effect concentration/level

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006]

# Safety Data Sheet

## according to GHS

**Trade name :** FD 333 wipes Quick-acting disinfection  
**Revision date :** 14.04.2021  
**Print date :** 27.04.2021

**Version :** 1.0.0

---

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RMM = Risk Management Measure  
RRN = REACH Registration Number  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
SVHC = Substances of Very High Concern  
TLV/STEL = Threshold limit value/short-term exposure limit  
TLV/TWA = Threshold limit value/time weighted average  
UN = United Nations  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

### 16.3 Key literature references and sources for data

Standard EN420:2003 General requirements for protective gloves: disposable gloves, e.g. nitrile rubber, material thickness 0.1 mm (Australian Standard 2161).  
Long-term exposure (Level 6: < 480 min): protective gloves, e.g. nitrile rubber, material thickness 0.7 mm (Australian Standard 2161).  
Personal eye protection - Eye and face protectors for occupational applications: safety glasses (Australian Standard AS 1336 and AS/NZS 1337.1:2010).

### 16.4 Classification for mixtures and used evaluation method according to GHS

The classification was carried out according to the calculation method of GHS as well as in-house investigations.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### 16.6 Training advice

None

### 16.7 Additional information

Notice the directions for use on the label.

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---