

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : HD 435 Cleansing lotion new formula
Revision date : 28.09.2021
Print date : 04.11.2021

Version : 1.0.0

ALKYLAMIDOPROYLBETAINE ; CAS No. : 97862-59-4
Limit value type : PNEC (Aquatic, freshwater)
Limit value : 0,0135 mg/l
Limit value type : PNEC (Aquatic, marine water)
Limit value : 0,00135 mg/l
Limit value type : PNEC (Industrial)
Exposure route : Soil
Limit value : 1 mg/kg
Limit value type : PNEC (Industrial)
Exposure route : Soil
Limit value : 0,1 mg/kg
Limit value type : PNEC (Industrial)
Exposure route : Soil
Limit value : 0,8 mg/kg
Limit value type : PNEC (Sewage treatment plant)
Limit value : 3000 mg/l

8.2 Exposure controls

Personal protection equipment

Eye/face protection

No special measures are necessary.

Skin protection

Hand protection

No special measures are necessary.

Body protection

Body protection: not required.

Respiratory protection

No special measures are necessary.

General information

Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and after work. Separate storage of work clothes. When using do not eat, drink, smoke, sniff.

Other protection measures

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : viscous

Colour : blue

Odour : flowery

Safety characteristics

Melting point/freezing point : (1013 hPa) No data available

Initial boiling point and boiling range : (1013 hPa) No data available

Decomposition temperature : (1013 hPa) No data available

Flash point : not applicable

Auto-ignition temperature : not applicable

Lower explosion limit : not applicable

Upper explosion limit : not applicable

Vapour pressure : (50 °C) No data available

Density : (20 °C) approx. 1,02 g/cm³

Solvent separation test : (20 °C) < 3 %

Water solubility : (20 °C) 100 Wt %

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : HD 435 Cleansing lotion new formula
Revision date : 28.09.2021
Print date : 04.11.2021

Version : 1.0.0

pH value :				5 - 6	
log P O/W :				No data available	
Flow time :	(20 °C)	approx.	150	s	DIN-cup 4 mm
Odour threshold :				No data available	
Maximum VOC content (EC) :			0,5	Wt %	
Oxidising liquids :	Not applicable.				
Explosive properties :	Not applicable.				
Corrosive to metals :	Not corrosive to metals.				

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

None, if handled according to order.

10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7).

10.3 Possibility of hazardous reactions

None, if handled according to order.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Acute oral toxicity

Parameter :	ATEmix calculated
Exposure route :	Oral
Effective dose :	not relevant
Parameter :	LD50 ((R)-P-MENTHA-1,8-DIENE ; CAS No. : 5989-27-5)
Exposure route :	Oral
Species :	Rat
Effective dose :	5000 mg/kg
Parameter :	LD50 (FATTY ALCOHOL ETHERSULFATE, SODIUM SALT ; CAS No. : 68891-38-3)
Exposure route :	Oral
Species :	Rat
Effective dose :	7400 mg/kg
Method :	OECD 401
Parameter :	LD50 (COUMARIN ; CAS No. : 91-64-5)
Exposure route :	Oral
Species :	Rat
Effective dose :	320 mg/kg
Parameter :	LD50 (LINALOOL ; CAS No. : 78-70-6)
Exposure route :	Oral
Species :	Rat
Effective dose :	2790 mg/kg
Parameter :	LD50 (ALKYLAMIDOPROYLBETAINE ; CAS No. : 97862-59-4)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : HD 435 Cleansing lotion new formula
Revision date : 28.09.2021
Print date : 04.11.2021

Version : 1.0.0

Exposure route : Oral
Species : Rat
Effective dose : > 2000 mg/kg
Method : OECD 401

Practical experience/human evidence

No known toxic effects on humans.

Acute dermal toxicity

Parameter : ATEmix calculated
Exposure route : Dermal
Effective dose : not relevant
Parameter : LD50 (FATTY ALCOHOL ETHERSULFATE, SODIUM SALT ; CAS No. : 68891-38-3)
Exposure route : Dermal
Species : Rat
Effective dose : > 2000 mg/kg
Method : OECD 402
Parameter : LD50 (LINALOOL ; CAS No. : 78-70-6)
Exposure route : Dermal
Species : Rabbit
Effective dose : 5610 mg/kg
Parameter : LD50 (ALKYLAMIDOPROYLBETAINE ; CAS No. : 97862-59-4)
Exposure route : Dermal
Species : Rat
Effective dose : > 2000 mg/kg
Method : OECD 402
Parameter : LD50 (LINALOOL ; CAS No. : 78-70-6)
Exposure route : Dermal
Species : Rabbit
Effective dose : 2000 mg/kg
Parameter : LD50 ((R)-P-MENTHA-1,8-DIENE ; CAS No. : 5989-27-5)
Exposure route : Dermal
Species : Rabbit
Effective dose : > 5000 mg/kg

Acute inhalation toxicity

Parameter : ATEmix calculated
Exposure route : Inhalation (vapour)
Effective dose : not relevant

Corrosion

Based on available data, the classification criteria are not met. Not an irritant.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Repeated dose toxicity (subacute, subchronic, chronic)

Subacute oral toxicity

Parameter : NOEL(C) (ALKYLAMIDOPROYLBETAINE ; CAS No. : 97862-59-4)
Exposure route : Oral
Species : Rat
Effective dose : 300 mg/kg
Method : OECD 408
Parameter : NOEL(C) (ALKYLAMIDOPROYLBETAINE ; CAS No. : 97862-59-4)
Exposure route : Oral
Species : Rat
Effective dose : 247 mg/kg
Method : OECD 408

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : HD 435 Cleansing lotion new formula
Revision date : 28.09.2021
Print date : 04.11.2021

Version : 1.0.0

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.5 Additional information

Cosmetics

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Based on available data, the classification criteria are not met.

Acute (short-term) fish toxicity

Parameter : LC50 (FATTY ALCOHOL ETHERSULFATE, SODIUM SALT ; CAS No. : 68891-38-3)

Species : Oncorhynchus mykiss (Rainbow trout)

Evaluation parameter : Acute (short-term) fish toxicity

Effective dose : 15 mg/l

Exposure time : 96 h

Parameter : LC50 (COUMARIN ; CAS No. : 91-64-5)

Species : Poecilia reticulata (Guppy)

Evaluation parameter : Acute (short-term) fish toxicity

Effective dose : 56 mg/l

Exposure time : 96 h

Parameter : LC50 (LINALOOL ; CAS No. : 78-70-6)

Species : Fish

Evaluation parameter : Acute (short-term) fish toxicity

Effective dose : 27,8 mg/l

Exposure time : 96 h

Parameter : LC50 (ALKYLAMIDOPROYLBETAINE ; CAS No. : 97862-59-4)

Species : Fish

Evaluation parameter : Acute (short-term) fish toxicity

Effective dose : 1,11 mg/l

Exposure time : 96 h

Method : OECD 203

Chronic (long-term) fish toxicity

Parameter : NOEC (ALKYLAMIDOPROYLBETAINE ; CAS No. : 97862-59-4)

Species : Oncorhynchus mykiss (Rainbow trout)

Evaluation parameter : Chronic (long-term) fish toxicity

Effective dose : 0,135 mg/l

Exposure time : 2400 h

Method : OECD 210

Acute (short-term) toxicity to crustacea

Parameter : EC50 (FATTY ALCOHOL ETHERSULFATE, SODIUM SALT ; CAS No. : 68891-38-3)

Species : Daphnia magna (Big water flea)

Evaluation parameter : Acute (short-term) daphnia toxicity

Effective dose : 18 mg/l

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : HD 435 Cleansing lotion new formula
Revision date : 28.09.2021
Print date : 04.11.2021

Version : 1.0.0

Exposure time : 48 h
Method : OECD 202
Parameter : EC50 (LINALOOL ; CAS No. : 78-70-6)
Species : Daphnia
Evaluation parameter : Acute (short-term) daphnia toxicity
Effective dose : 59 mg/l
Exposure time : 48 h
Parameter : EC50 (ALKYLAMIDOPROYLBETAINE ; CAS No. : 97862-59-4)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Acute (short-term) daphnia toxicity
Effective dose : 6,5 mg/l
Exposure time : 48 h
Method : OECD 202
Parameter : LC50 (COUMARIN ; CAS No. : 91-64-5)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Acute (short-term) daphnia toxicity
Effective dose : 13,5 mg/l
Exposure time : 48 h

Chronic (long-term) toxicity to crustacea

Parameter : NOEC (ALKYLAMIDOPROYLBETAINE ; CAS No. : 97862-59-4)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Chronic (long-term) daphnia toxicity
Effective dose : 0,32 mg/l
Exposure time : 504 h
Method : OECD 211
Parameter : LOEC (ALKYLAMIDOPROYLBETAINE ; CAS No. : 97862-59-4)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Chronic (long-term) daphnia toxicity
Effective dose : 0,56 mg/l
Exposure time : 504 h
Method : OECD 211

Acute (short-term) toxicity to aquatic algae and cyanobacteria

Parameter : EC50 (LINALOOL ; CAS No. : 78-70-6)
Species : Algae
Evaluation parameter : Acute (short-term) algae toxicity
Effective dose : 141,4 mg/l
Exposure time : 96 h
Parameter : EC50 (ALKYLAMIDOPROYLBETAINE ; CAS No. : 97862-59-4)
Species : Scenedesmus subspicatus
Evaluation parameter : Acute (short-term) algae toxicity
Effective dose : 1,5 mg/l
Exposure time : 72 h
Method : DIN 38412 / part 9

Toxicity to microorganisms

Parameter : EC50 (FATTY ALCOHOL ETHERSULFATE, SODIUM SALT ; CAS No. : 68891-38-3)
Species : Pseudomonas putida
Evaluation parameter : Bacteria toxicity
Effective dose : > 1000 mg/l
Method : DIN 38412 / part 8
Parameter : EC50 (LINALOOL ; CAS No. : 78-70-6)
Species : Bacteria toxicity
Effective dose : > 100 mg/l
Exposure time : 3 h
Parameter : EC0 (ALKYLAMIDOPROYLBETAINE ; CAS No. : 97862-59-4)
Species : Pseudomonas putida
Evaluation parameter : Bacteria toxicity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : HD 435 Cleansing lotion new formula
Revision date : 28.09.2021
Print date : 04.11.2021

Version : 1.0.0

Effective dose : > 3000 mg/kg

12.2 Persistence and degradability

Abiotic degradation

No data available.

Biodegradation

The surfactants comply with OECD guidelines and are therefore biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Distribution

No data available

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

Prevent from flowing into surface water/ground water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Directive 2008/98/EC (Waste Framework Directive)

After intended use

Disposal operations

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

Recovery operations

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Waste codes/waste designations according to EWC/AVV

Concentrate/larger quantities: 07 06 01* aqueous cleaning liquid.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : HD 435 Cleansing lotion new formula
Revision date : 28.09.2021
Print date : 04.11.2021

Version : 1.0.0

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Approval Code: HSR002552
Group Standard: Cosmetic Products Group Standard 2017

15.2 Chemical safety assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Indication of changes

-

16.2 Abbreviations and acronyms

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimates
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CMR = Carcinogen, Mutagen or Reproductive toxicant
CO₂ = Carbon dioxide
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EC = European Commission
EC50 = Half maximal effective concentration
EN = European Standard (Norm)
EU = European Union
EUH statement = CLP-specific Hazard statement
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
H statement = GHS Hazard statement
IATA = International Air Transport Association ICAO-TI = International Civil Aviation Organization-Technical Instructions
IMDG = International Maritime Dangerous Goods
LC50 = Median lethal concentration
LD50 = Median lethal dose
LogPow = Logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
NOEC/NOEL = No observed effect concentration/level
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006]
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RMM = Risk Management Measure
RRN = REACH Registration Number
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
SVHC = Substances of Very High Concern
TLV/STEL = Threshold limit value/short-term exposure limit
TLV/TWA = Threshold limit value/time weighted average
UN = United Nations
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

16.3 Key literature references and sources for data

None

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : HD 435 Cleansing lotion new formula
Revision date : 28.09.2021
Print date : 04.11.2021

Version : 1.0.0

16.5 Relevant H- and EUH-phrases (Number and full text)

H315	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

Notice the directions for use on the label.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
