

in accordance with regulation (EC) no. 1907/2006 (amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015 Printing date: 20.01.2021

Date of revision: 29.12.2020

Valid from: 29.12.2020 Version 4 Replaces version: 3

HinriScan thinner

1. Identification of the substance / Preparation and Company:

1.1 Identification of the substance or preparation:

Commercial product name: HinriScan thinner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: SU 22 dental field – commercial use (dental labs).

Product category: thinner Process class: brush application

Environmental release category: industrial use of processing aids in processes and products not becoming part of articles.

Uses advised against: Should not be used outside a dental lab.

1.3 Manufacturer/Supplier: ERNST HINRICHS Dental GmbH

 Street / mailbox:
 Borsigstr. 1

 Country code. / postal code / city:
 D - 38644 Goslar

 Phone:
 0 53 21 / 5 06 24

 Fax:
 0 53 21 / 5 08 81

E-mail / Website: <a href="mailto:info@hinrichs-dental.de">info@hinrichs-dental.de</a> / <a href="mailto:www.hinrichs-dental.de">www.hinrichs-dental.de</a>

Importer: Ivoclar Vivadent Ltd

12 Omega St, Rosedale, Auckland, New Zealand Phone +64 9 914 9999 Fax +64 9 914 9990

www.ivoclarvivadent.co.nz

**Emergency phone number:**0800 764 766 (National Poison Centre)
Poisons Hotline (24 hours / 7 days)

2. Composition / Information on Ingredients:

2.1 Classification of the substance or mixture:

Classification according to regulation (EC) no.

1272/2008 (CLP):

Flammable liquids (chapter 2.6), category 2 (Flam. Liq. 2), H225, Eye irritation (chapter 3.3), category 2 (Eye Irrit. 2),

H319

For the full text of the H-statements mentioned in this section,

see section 16.

2.2 Label Elements

Labelling according to regulation (EC) no.

1272/2008 (CLP/GHS) Hazard pictograms:



Signal word / hazard designation: Danger (Flam. Liq. 2), warning (Skin Irrit. 2)

Hazardous component(s) for labelling: Contains ethanol.

Reduced labelling (≤125 ml) (according to exemptions from the packaging and labelling regulations according

to EC-CLP-regulation)

Signal word: hazard pictograms:

Hazard statements:

H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation.

H336: May cause drowsiness and dizziness.

Precautionary statements:

P210: Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P233: Keep container tightly closed. P102: Keep out of reach of children.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P261: Avoid breathing dust / fume.



Printing date: 20.01.2021

in accordance with regulation (EC) no. 1907/2006 (amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015 Date of revision: 29.12.2020

Valid from: 29.12.2020 Version 4 Replaces version: 3

HinriScan thinner

Supplemental Hazard information (EU):

EUH066: Repeated exposure may cause skin dryness or cracking.

2.3 Other Hazards: No supplementary information available.

3. Hazards Identification:

3.1 Substances:

Principal component of the substance: Substance name: Ethanol This substance does not meet the

PBT or vPvB criteria according to the regulation (EC) no.

1907/2006, annex XIII. Index-no.: 603-002-00-5 EG-no.: 200-578-6 CAS-no.: 64-17-5

Impurities, stabilizers: Substance name: Isopropyl (0-7%) This substance does not

meet the PBT or vPvB criteria according to the regulation

(EC) no. 1907/2006, annex XIII. Index-no.: 603-117-00-0 EG-no.: 200-661-7

CAS-no.: 67-63-0

Classification according to 1272/2008 (CLP): Flammable liquids (chapter 2.6), category 2 (Flam. Liq. 2),

Not applicable.

H225, Eye irritation (chapter 3.3), category 2 (Eye Irrit. 2), H319, May cause drowsiness or dizziness (chapter 3.8),

category 3 (STOT SE3), H336

3.2 Mixtures:

Description of the mixture:

EG-no.: CAS-no.: Index-No.: REACH-registration no.:

Content ration: %

Classification according to regulation (EC) no. 1272/2008 (CLP)

(Full text of H- and EUH-phrases: see SECTION 16)

4. First aid measures:

4.1 Description of first aid measures: In general: take off contaminated clothing.

After inhalation: In case of dizziness after inhalation of vapours, take the

person concerned to fresh air.

After skin contact: Wash affected skin thoroughly with water and soap.

After eye contact: Rinse eyes with current water for at least 10 minutes. If eye

irritation persists consult a doctor.

After ingestion: Rinse mouth. If discomfort per

4.2 Most important symptoms and effects, both

acute and delayed:

Rinse mouth. If discomfort persist consult a doctor. Irritant effects, drowsiness, nausea, vomiting, headache,

doziness.

4.3 Indication of any immediate medical attention

and special treatment needed:

Notes for the doctor: not determined Special treatment: not determined

5. Fire Fighting measures:

5.1 Extinguishing agents: Dry powder, foam, sand.

Unsuitable extinguishing agents: Water.

5.2 Special hazards arising from the mixture: Flammable. An incomplete combustion may result in toxic

components within the flue gas. In case of fire a respiratory

equipment working independently from its ambient environment is recommended for the fire fighters.

5.3 Advice for fire-fighters: In case of fire a respiratory equipment working independently

from its ambient environment is recommended for the fire

fighters.



Printing date: 20.01.2021

Replaces version: 3

in accordance with regulation (EC) no. 1907/2006 (amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015 Date of revision: 29.12.2020

HinriScan thinner

Valid from: 29.12.2020 Version 4

Accidental release measures:

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Remove all sources of ignition immediately. Ensure good

ventilation. Do not inhale fume or spray.

For emergency responders: Personal protective equipment: respiratory equipment

working independently from its ambient environment

Prevent the liquids from ingressing into surface water or 6.2 Environmental precautions:

drains.

Wear safety equipment, absorb with liquid binding material 6.3 Measures for cleaning / collecting:

(sand, universal binding material) and dispose of as

hazardous material.

6.4 Reference to other sections: Dangerous combustion products: see section 5. Personal

protective equipment: see section 8.

Handling and Storage:

Precautions for safe handling:

Advice on general hygiene:

Fire preventions: Provide adequate ventilation. Keep away from sources of

ignition – don't smoke! 🥸

Not determined. Aerosol and dust generation preventions:

Environmental precautions: Do not allow to reach the drain system.

Advice on general occupational hygiene: Follow the advice on general occupational hygiene, when

dealing with chemicals, keep away from food, and don't

smoke.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions: Store under 30°C, tightly closed. Keep away from food.

Requirements for storage rooms and vessels: According to TRGS 510, annex 9, regulation for small

quantities.

Storage class: (LGK) (VCI) 3

7.3 Specific end uses:

> Sector specific guidelines: Dental laboratories. Except for the applications mentioned in

section 1.2 there are no other specific end applications

provided.

**Exposure controls / Personal protection:** 

Control parameters

Occupational exposure limits

Substance: Ethanol ; CAS-no.: 64-17-5

Specification:

TRGS 905/TRGS 900

Limit value type (country of origin): (AGW): 960 mg/m<sup>3</sup> respectively 500 ml/m<sup>3</sup> (ppm)

Peak limitation: Exceedance factor (ÜF) 2, category for short term values II Toxic to reproduction: A risk of foetal damage is ceased to fear when observing the

MAK / BAT values.

Source (TRGS) Not determined. Substance: Isopropanol : CAS-Nr. : 67-63-0

Specification: TRGS 900

Limit value type (country

200 ml/m<sup>3</sup> / 500 mg/m<sup>3</sup> of origin):

Peak limitation: Exceedance factor category II – substances with resorptive

effect



in accordance with regulation (EC) no. 1907/2006 (amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015 Date of revision: 29.12.2020

HinriScan thinner

Valid from: 29.12.2020 Version 4

Printing date: 20.01.2021

Replaces version: 3

Toxic to reproduction:

Source (TRGS)

8.2 Exposure controls Appropriate engineering controls Personal protective equipment

Eye / face protection:

A risk of foetal damage is ceased to fear when observing the

MAK / BAT values. Not determined



Wear tight fitting googles

Skin protection:

The glove material has to be impermeable and resistant to Hand protection:

the product. Full contact:

Gloves made of butyl rubber. Layer thickness: ≥ 0,7 mm Penetration time: ≥ 60 min



Splash contact:

Gloves made of nitrile rubber Layer thickness: 0,40 mm Penetration time: < 120 min.

Wear adequate working clothes. Body protection: Respiratory protection:

Generally there are no special measures to be taken. In case

of release of a more important quantity (drained off bottle)

provide for sufficient ventilation.

Thermal hazards: Not applicable if not stored over 45°C for a longer space of

Liquid

Environmental exposure controls: Not determined.

## Physical and chemical properties:

9.1 General information:

Aggregate state: Colour:

Transparent Odour: Characteristic Odour threshould: No data available. pH-value: Not determined

Melting point / Melting range: -114.5°C Initial boiling point/boiling range: 78°C Flash point: 29°C

Evaporation rate: No data available. Flammability: Not determined

Upper/lower explosive limits: Not classified as being explosive

Vapour pressure : 59 hPa when 20 °C Vapour density: No data available

Relative density:

Solubility: Unlimited miscibility

Partition coefficient: n.b.

n-octanol/water:



in accordance with regulation (EC) no. 1907/2006 (amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015 Date of revision: 29.12.2020

Valid from: 29.12.2020 Version 4 Printing date: 20.01.2021

Replaces version: 3

425 °C Auto-ignition temperature:

Decomposition temperature: No data available

Viscosity: n.b.

explosive properties: Not classified as explosive

Oxidising properties: none

9.2 Other information:

HinriScan thinner

Explosives: There are no further data available.

Stability and Reactivity:

10.1 Reactivity: Risk of ignition.

10.2 Chemical stability: Under standard ambient conditions the material is chemically

stable.

10.3 Possibility of hazardous reactions: Not determined

10.4 Conditions to avoid: Storing for a longer space of time over 45°C.

10.5 Incompatible materials: Strong oxidants.

10.6 Hazardous decomposition products: None when storing at room temperature.

**Toxicological Information:** 

LD50 rat: 10.470 mg/kg Acute toxicity:

OECD test guideline 401

Symptoms: slight irritation of mucous membrane

Skin irritation: Result rabbit: no skin irritation

OECD test guideline 404

Repeated or prolonged exposure may cause skin irritation and dermatitis due to degreasing properties of the product

(EUH066)

Eye irritation: Result rabbit: eye irritation OECD test guideline 405

Causes serious eye irritation (H319) Sensitisation to the respiratory tract / skin: Sensitisation to the respiratory tract / skin

Test on sensitisation (Magnusson und Kligman):

Result: negative

Germ cell mutagenicity

Genotoxity in vitro: Ames test Salmonella typhimurium

Result: negative

Method: OECD test guideline 471

No information available. Carcinogenicity: Reproductive toxicity: No information available.

Specific target organ toxicity (single

exposure):

Specific target organ toxicity (repeated

exposure):

Aspiration hazard:

Symptoms related to the physical, chemical

and toxicological characteristics:

No information available.

No information available.

No information available.

In case of ingestion: after a resorption of immense quantities:

dizziness, rapture, anaesthesia. In case of skin contact: dryness In case of inhalation: euphoria In case of eye contact: irritation

Follow the usual instructions when dealing with chemicals.



Printing date: 20.01.2021

in accordance with regulation (EC) no. 1907/2006 (amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015

Date of revision: 29.12.2020

Valid from: 29.12.2020 Version 4 Replaces version: 3

HinriScan thinner

12. Ecological Information:

12.1 Toxicity: The product is slightly hazardous to water (water pollution

class I). The hazard presented by this product in a container

of 20 ml can be neglected.

12.2 Persistence and degradability: Biodegradability 94 %

OECD test guideline 301E Easily biodegradable.

12.3 Bioaccumulative potential: Bioaccumulation is not to be expected.

12.4 Mobility in soil: No information available.

12.5 Results of PBT- and vPvB assessment: This substance does not meet the PBT or vPvB criteria

according to the regulation (EC) no. 1907/2006, annex XIII. No environmental problems can be expected when handled and used properly. Leakage into the environment is to be

prevented.

13. Disposal Considerations:

12.6 Other adverse effects

13.1 Waste treatment methods:

Contaminated packaging disposal: Containers are to be treated as the product itself.

150110 (AVV) 160506 (AVV)

Waste codes / waste designations according

to EWC / AVV:

Special precautions:

ivone

Other relevant provisions for waste treatment

national or EC:

Waste directive 2008/98/EC has to be observed.

14. Transport Information:

14.1 UN-no.: UN 1170

14.2 UN proper shipping name

ADR/RID: Ethanol IMDG-Code / ICAO-TI / IATA-DGR: Ethanol Ethanol

EmS F-E S-D

14.3 Transport hazard class(es) / hazard labels: Class 3

14.4 Packing group:

14.5 Environmental hazards: Environmentally hazardous substance marking

ADR/RID / IMDG-Code / ICAO-TI / IATA-DGR:

0 yes / XXX no

Marine Pollutant: 0 yes / XXX no

14.6 Special precautions for user: Do not expose to sources of ignition. Beware of inflammable

materials.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

Pollution category (X, Y or Z):

Type of ship (1, 2 or 3): not relevant

15. Regulatory Information:

15.1 Safety, health and environmental regulations / legislation specific for the substance / mixture.



Page 7 of 7

Date of issue: 23.04.2015 Printing date: 20.01.2021

Date of revision: 29.12.2020

Valid from: 29.12.2020 Version 4 Replaces version: 3

#### HinriScan thinner

Classified as Hazardous according to the criteria of the National Occupational Health and Safety Commission (NOHSC) approved criteria for the classifying hazardous substances [NOHSC: 1008] 3rd edition.

Standard for the Uniform Scheduling of Medicines and Poisons.

Carcinogen classification under WHS Regulation 2011, Schedule 10.

Notification status in accordance with section 3 and current national legislation.

HSNO Approval: HSR001144

EPA NZ Classes of hazardous properties:

Classification 3.1B Flammable Liquids: high hazard

Classification 6.4A Irritating to the eye

Directive (EC) no. 648/2004 (detergent

regulation):

Restrictions in accordance with title VIII of the

regulation (EC) no. 1907/2006:

This product does not contain any ingredients of very high concern according to REACH EC no. 1907/2006, Art. 57 low

concentration limit of  $\geq 0.1 \%$  (w/w).

National regulations, e.g.:

Water hazard class:

Technical instructions on Air Quality Control

TA-Luft):

Other relevant regulations

Leaflet BG-Chemie

M004 irritant materials

M050 tasks with hazardous materials

Not regulated

Not regulated.

TRGS 900 Ethanol (64-17-5) AGW: 500 ppm 960 mg/m3 peak limit value

2 if one meets the AGW- und BGW values no risk of reproduction damage is to be expected (see no. 8.1).

Gestis substance data base - http://gestis.itrust.de/ Federal Agency for Industrial Health and Safety –

15.2 Chemical safety assessment: No chemical safety assessment has been performed on this

substance.

16. Further Information:

Indication of changes Adaption to the classification and labelling according to

directive (EC) no. 1272/2008

Section 1: Emergency phone number.

Abbreviations and acronyms

n. a. Not applicable.

Key literature references and sources for

data:

www.baua.de
Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]:

Relevant R-, H- and EUH-phrases (number and full text):

Hazard statements:

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness and dizziness

Precautionary statements:

P210: Keep away from heat/sparks/open flames/hot surfaces. — No

smoking.

P233: Keep container tightly closed. P102: Keep out of reach of children.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P261: Avoid breathing dust / fume.

Supplemental Hazard information (EU):

EUH066: Repeated exposure may cause skin dryness or cracking. Training advice: Provide adequate information, instruction and training for

operators / technicians using this product.



#### Further information

This information is based on our present state of knowledge. It should therefore not be construed as guaranteeing specific properties of the products described or their suitability for a particular application. We do not take any responsibility for possible sources of errors or sufficiency of this document. The user of the product accepts the sole responsibility to adhere to all herein mentioned regulations. It is the user's obligation to read this document carefully.