

Safety Data Sheet according to WHS Regulations

Printing date 13.05.2024

Version number 7


Revision: 13.05.2024

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- **Product identifier**
- **Trade name:** ***IPS Margin Sealer***
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Auxiliary for manufacture of dental prothesis
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ivoclar Vivadent AG
Bendererstrasse 2
9494 Schaan
PRINCIPALITY OF LIECHTENSTEIN
Tel: +423 235 35 35 / Fax: +423 235 33 60
- **Importer:**
Ivoclar Vivadent Pty. Ltd.
1- 5 Overseas Drive
Noble Park North VIC 3174
Tel: + 61 3 9795 9599 / Fax: + 61 3 9795 9645
- **Further information obtainable from:**
Regulatory Affairs
sds@ivoclar.com
- **Emergency telephone number:** 131 126 (Poisons Information Centre - 24 hours / 7 days)

2 Hazard(s) Identification

- **Classification of the substance or mixture**
Flam. Liq. 2 H225 Highly flammable liquid and vapour.
Skin Irrit. 2 H315 Causes skin irritation.
Repr. 2 H361 Suspected of damaging fertility or the unborn child.
STOT SE 3 H336 May cause drowsiness or dizziness.
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
- **Label elements**
- **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**

GHS02 GHS07 GHS08
- **Signal word** *Danger*
- **Hazard-determining components of labelling:**
n-hexane (50-100 %)
- **Hazard statements**
Highly flammable liquid and vapour.

(Contd. on page 2)

-AU

Safety Data Sheet

according to WHS Regulations

Printing date 13.05.2024

Version number 7

Revision: 13.05.2024

Trade name: IPS Margin Sealer

(Contd. of page 1)

Causes skin irritation.
 Suspected of damaging fertility or the unborn child.
 May cause drowsiness or dizziness.
 May cause damage to organs through prolonged or repeated exposure.
 May be fatal if swallowed and enters airways.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 Do not breathe dust/fume/gas/mist/vapours/spray.
 Wear protective gloves/protective clothing/eye protection/face protection.
 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 Do NOT induce vomiting.

Store locked up.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 110-54-3	n-hexane Flam. Liq. 2, H225; Repr. 2, H361; STOT RE 2, H373; Asp. Tox. 1, H304; Skin Irrit. 2, H315; STOT SE 3, H336	50-100%
---------------	---	---------

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· **After inhalation:**

Supply fresh air.

Seek medical treatment.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** Wear self-contained respiratory protective device.

· **Additional information**

See Section 14 for Hazchem Code.

Cool endangered receptacles with water spray.

AU

(Contd. on page 3)

Safety Data Sheet according to WHS Regulations

Printing date 13.05.2024

Version number 7

Revision: 13.05.2024

Trade name: **IPS Margin Sealer**

(Contd. of page 2)

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Only adequately trained personnel should handle this product.
For use in dentistry only.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Store receptacle in a well ventilated area.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.

- **Ingredients with limit values that require monitoring at the workplace:**

CAS: 110-54-3 n-hexane

NES Long-term value: 72 mg/m³, 20 ppmWES Long-term value: 72 mg/m³, 20 ppm

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Usual hygienic measures for dental practice and dental laboratories.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 13.05.2024

Version number 7

Revision: 13.05.2024

Trade name: IPS Margin Sealer

(Contd. of page 3)

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Recommended filter device for short term use:**

Filter A1

Filter A2

Filter A3

· **Protection of hands:**



Protective gloves (EN 374)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

· **Material of gloves**

Nitrile rubber, NBR

Fluorocarbon rubber (Viton)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles (EN 166)

9 Physical and Chemical Properties

· **General Information**

· **Appearance:**

· Form:	Fluid
· Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
· Melting point/freezing point:	-95 °C
· Initial boiling point and boiling range:	69 °C
· Flash point:	-26 °C
· Flammability (solid, gas):	Highly flammable.
· Auto-ignition temperature:	240 °C
· Decomposition temperature:	Not determined.

(Contd. on page 5)

-AU-

Safety Data Sheet

according to WHS Regulations

Printing date 13.05.2024

Version number 7

Revision: 13.05.2024

Trade name: **IPS Margin Sealer**

(Contd. of page 4)

· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
· Lower:	1.2 Vol %
· Upper:	7.4 Vol %
· Vapour pressure at 20 °C:	160 hPa
· Density at 20 °C:	0.65 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· water at 20 °C:	0.1 g/l
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Solvent content:	
· Organic solvents:	96.0 %
· Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal handling and storage conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Reacts with strong oxidising agents.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None under normal conditions of storage and use.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

CAS: 110-54-3 n-hexane

Oral	LD50	28710 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Suspected of damaging fertility or the unborn child.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** May be fatal if swallowed and enters airways.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 13.05.2024

Version number 7

Revision: 13.05.2024

Trade name: **IPS Margin Sealer**

(Contd. of page 5)

· **Additional toxicological information:** No further relevant information available.


12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
Also poisonous for fish and plankton in water bodies.
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|---|
| · UN-Number | |
| · ADG, IMDG, IATA | UN1208 |
| · UN proper shipping name | |
| · ADG | 1208 HEXANES, ENVIRONMENTALLY HAZARDOUS |
| · IMDG | HEXANES, MARINE POLLUTANT |
| · IATA | HEXANES |
| · Transport hazard class(es) | |
| · ADG | |
|  | |
| · Class | 3 (F1) Flammable liquids. |

(Contd. on page 7)

-AU-

Safety Data Sheet

according to WHS Regulations

Printing date 13.05.2024

Version number 7

Revision: 13.05.2024

Trade name: **IPS Margin Sealer**

(Contd. of page 6)

· **Label** 3· **IMDG**· **Class** 3 Flammable liquids.· **Label** 3· **IATA**· **Class** 3 Flammable liquids.· **Label** 3· **Packing group**· **ADG, IMDG, IATA** II· **Environmental hazards:** Product contains environmentally hazardous substances: n-hexane· **Marine pollutant:** Yes· **Special marking (ADG):** Symbol (fish and tree)· **Special marking (ADG):** Symbol (fish and tree)· **Special precautions for user** Warning: Flammable liquids.· **Hazard identification number (Kemler code):** 33· **Hazchem or Emergency Action Code:** 3YE· **EMS Number:** F-E,S-D· **Stowage Category** E· **Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.· **Transport/Additional information:**· **ADG**· **Limited quantities (LQ)** 1L· **Excepted quantities (EQ)** Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **Transport category** 2· **Tunnel restriction code** D/E· **IMDG**· **Limited quantities (LQ)** 1L· **Excepted quantities (EQ)** Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN 1208 HEXANES, 3, II, ENVIRONMENTALLY HAZARDOUS

AU

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Printing date 13.05.2024

Version number 7

Revision: 13.05.2024

Trade name: **IPS Margin Sealer**

(Contd. of page 7)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals

CAS: 110-54-3	n-hexane
---------------	----------

· Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



GHS02 GHS07 GHS08

· Signal word *Danger*

· Hazard-determining components of labelling:

n-hexane (50-100 %)

· Hazard statements

Highly flammable liquid and vapour.

Causes skin irritation.

Suspected of damaging fertility or the unborn child.

May cause drowsiness or dizziness.

May cause damage to organs through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Do NOT induce vomiting.

Store locked up.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

· Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

(Contd. on page 9)

Safety Data Sheet

according to WHS Regulations

Printing date 13.05.2024

Version number 7

Revision: 13.05.2024

Trade name: IPS Margin Sealer

(Contd. of page 8)

H373 May cause damage to organs through prolonged or repeated exposure.

· **Contact:**

· **Abbreviations and acronyms:**

IMO: International Maritime Organization

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

· *** Data compared to the previous version altered.**

-AU-