

Safety Data Sheet according to WHS Regulations

Date of issue: 09.07.2025

Version number 4


Revision: 09.07.2025

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- **Other means of identification**
- **Trade name:** IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max ZirCAD LT Colouring Liquid grey
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Manufacture of dental prosthesis
Colouring Liquid
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ivoclar Vivadent AG
Bendererstrasse 2
9494 Schaan
PRINCIPALITY OF LIECHTENSTEIN
Tel: +423 235 35 35 / Fax: +423 235 33 60
- **Importer:**
Ivoclar Vivadent Pty. Ltd.
1- 5 Overseas Drive
Noble Park North VIC 3174
Tel: + 61 3 9795 9599 / Fax: + 61 3 9795 9645
- **Further information obtainable from:**
Regulatory Affairs
sds@ivoclar.com
- **Emergency telephone number:** 131 126 (Poisons Information Centre - 24 hours / 7 days)

2 Hazard(s) Identification

- **Classification of the substance or mixture**
Skin corrosion/irritation – Category 1B H314 Causes severe skin burns and eye damage.
Eye damage/irritation – Category 1 H318 Causes serious eye damage.
- **Label elements**
- **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**

GHS05
- **Signal word** Danger
- **Hazard-determining components of labelling:**
inorganic nitrate salts
- **Hazard statements**
Causes severe skin burns and eye damage.
- **Precautionary statements**
Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Date of issue: 09.07.2025

Version number 4

Revision: 09.07.2025

Trade name: IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max ZirCAD LT Colouring Liquid grey

(Contd. of page 1)

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 20694-39-7	Manganese(II) nitrate tetrahydrate	Oxidising solids - Category 2, H272	0.1-<2.5%
-----------------	------------------------------------	-------------------------------------	-----------

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
*Immediately wash with water and soap and rinse thoroughly.
Generally the product does not irritate the skin.*
- **After eye contact:**
*Call a doctor immediately.
Rinse opened eye for several minutes under running water. Then consult a doctor.*
- **After swallowing:**
*Rinse out mouth and then drink plenty of water.
Seek medical treatment.
Drink plenty of water and provide fresh air. Call for a doctor immediately.*
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.
- **Additional information** See Section 14 for Hazchem Code.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** No special measures required.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Date of issue: 09.07.2025

Version number 4

Revision: 09.07.2025

**Trade name: IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max ZirCAD
LT Colouring Liquid grey**

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Only adequately trained personnel should handle this product.
For use in dentistry only.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Appropriate engineering controls** No further data; see section 7.
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Usual hygienic measures for dental practice and dental laboratories.
- **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.



Protective gloves (EN 374)

After use of gloves apply skin-cleaning agents and skin cosmetics.

- **Material of gloves**
Natural rubber, NR
Chloroprene rubber, CR

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Date of issue: 09.07.2025

Version number 4

Revision: 09.07.2025

**Trade name: IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max ZirCAD
LT Colouring Liquid grey**

(Contd. of page 3)

Nitrile rubber, NBR

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles (EN 166)

9 Physical and Chemical Properties

· **General Information**

· **Appearance:**

· **Form:**

Fluid

· **Colour:**

According to product specification

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **pH-value at 20 °C:**

2

· **Change in condition**

· **Melting point/freezing point:**

Undetermined.

· **Initial boiling point and boiling range:**

Undetermined.

· **Flash point:**

Undetermined.

· **Flammability**

Not applicable.

· **Decomposition temperature:**

Not determined.

· **Ignition temperature:**

Product is not selfigniting.

· **Explosive properties:**

Product does not present an explosion hazard.

· **Explosion limits:**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Vapour pressure:**

Not determined.

· **Density:**

Not determined.

· **Relative density**

Not determined.

· **Vapour density**

Not determined.

· **Evaporation rate**

Not determined.

· **Solubility in / Miscibility with**

· **water:**

Not miscible or difficult to mix.

· **Partition coefficient: n-octanol/water:**

Not determined.

· **Viscosity:**

· **Dynamic:**

Not determined.

· **Kinematic:**

Not determined.

· **Solvent content:**

· **Solids content:**

0.0 %

· **Other information**

· **Particle characteristics**

Not applicable.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Date of issue: 09.07.2025

Version number 4

Revision: 09.07.2025

Trade name: *IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max ZirCAD LT Colouring Liquid grey*

(Contd. of page 4)

· **Physical state** *Fluid*

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal handling and storage conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None under normal conditions of storage and use.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Specific symptoms in biological assay:**
- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
- Not hazardous for water.
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

AU

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Date of issue: 09.07.2025

Version number 4

Revision: 09.07.2025



Trade name: *IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max ZirCAD LT Colouring Liquid grey*

(Contd. of page 5)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

<ul style="list-style-type: none"> · UN-Number · ADG, IMDG, IATA 	UN3264
<ul style="list-style-type: none"> · UN proper shipping name · ADG · IMDG, IATA 	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (inorganic nitrate salts) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (inorganic nitrate salts)
<ul style="list-style-type: none"> · Transport hazard class(es) · ADG 	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> · Class · Label 	8 (C1) Corrosive substances. 8
<ul style="list-style-type: none"> · IMDG, IATA 	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> · Class · Label 	8 Corrosive substances. 8
<ul style="list-style-type: none"> · Packing group · ADG, IMDG, IATA 	II
<ul style="list-style-type: none"> · Environmental hazards: 	Not applicable.
<ul style="list-style-type: none"> · Special precautions for user · Hazard identification number (Kemler code): · Hazchem or Emergency Action Code: · EMS Number: · Segregation groups · Stowage Category · Stowage Code 	Warning: Corrosive substances. 80 2X F-A,S-B (SGG1) Acids B SW2 Clear of living quarters.
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of Marpol and the IBC Code 	Not applicable.

(Contd. on page 7)

AU

Safety Data Sheet

according to WHS Regulations

Date of issue: 09.07.2025

Version number 4

Revision: 09.07.2025

**Trade name: IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max ZirCAD
LT Colouring Liquid grey**

(Contd. of page 6)

· **Transport/Additional information:**

· **ADG**

- **Limited quantities (LQ)**
- **Excepted quantities (EQ)**

1L

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **Transport category**

2

· **Tunnel restriction code**

E

· **IMDG**

- **Limited quantities (LQ)**
- **Excepted quantities (EQ)**

1L

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":**

UN 3264 CORROSIVE LIQUID, ACIDIC,
INORGANIC, N.O.S. (INORGANIC NITRATE SALTS),
8, II

15 Regulatory information

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS05

· **Signal word Danger**

· **Hazard-determining components of labelling:**

inorganic nitrate salts

· **Hazard statements**

Causes severe skin burns and eye damage.

· **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **National regulations:**

· **Other regulations, limitations and prohibitive regulations**

The product is a medical device according to Regulation 2017/745 on Medical Devices (MDR).

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

AU

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Date of issue: 09.07.2025

Version number 4

Revision: 09.07.2025

Trade name: *IPS e.max ZirCAD MT Colouring Liquid grey / IPS e.max ZirCAD LT Colouring Liquid grey*

(Contd. of page 7)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H272 May intensify fire; oxidizer.

· **Classification according to Regulation (EC) No 1272/2008 On basis of test data**

· **Contact:**

· **Abbreviations and acronyms:**

IMO: International Maritime Organization

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Oxidizing solids - Category 2: Oxidizing solids – Category 2

Skin corrosion/irritation – Category 1B: Skin corrosion/irritation – Category 1B

Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1

· *** Data compared to the previous version altered.**

-AU-