# ivoclar vivadeni:

## Safety Data Sheet in accordance with HSNO

Printing date 11.12.2019

Version number 4

Revision: 11.12.2019

1 Identification of the substance or mixture and of the supplier

· Product identifier

## Trade name: IPS e.max CAD Crystall./Glaze Spray

*Relevant identified uses of the substance or mixture and uses advised against* No further relevant information available.
 *Application of the substance / the mixture* Auxiliary for manufacture of dental prothesis

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Ivoclar Vivadent AG Bendererstrasse 2 9494 Schaan PRINCIPALITY OF LIECHTENSTEIN Tel: +423 235 35 35 / Fax: +423 235 33 60

Importer: Ivoclar Vivadent Ltd 12 Omega St, Rosedale, Auckland New Zealand Tel: + 64 9 914 9999 / Fax: + 64 9 914 9990

 Further information obtainable from: Regulatory Affairs sds@ivoclarvivadent.com
 Emergency telephone number: 0800 764 766 (National Poison Centre - 24 hours / 7 days)

## 2 Hazards identification

#### $\cdot$ Classification of the substance or mixture

Acute Tox. 5 H333 May be harmful if inhaled. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

#### · Label elements

• *GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).* 

· Hazard pictograms



Signal word Warning
Hazard statements
May be harmful if inhaled.
Causes serious eye irritation.
May cause drowsiness or dizziness.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.
Do not breathe spray.
Wear eye protection / face protection.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

(Contd. on page 2)

<sup>-</sup> NZ

Printing date 11.12.2019

Version number 4

## Trade name: IPS e.max CAD Crystall./Glaze Spray

(Contd. of page 1)

10-25%

- Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

#### **3** Composition/Information on ingredients

- Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- Dangerous components:

CAS: 67-63-0 propan-2-ol EINECS: 200-661-7 Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336; Acute Tox. 5, H333

• *Additional information:* For the wording of the listed hazard phrases refer to section 16.

#### 4 First aid measures

#### · Description of first aid measures

- After inhalation:
- Supply fresh air.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
- Rinse with water.
- Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Rinse out mouth and then drink plenty of water.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, sand, extinguishing powder. Do not use water.
- Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.
- · Additional information Cool endangered receptacles with water spray.

#### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- *Ensure adequate ventilation.*

(Contd. on page 3)

Printing date 11.12.2019

Version number 4

## Trade name: IPS e.max CAD Crystall./Glaze Spray

(Contd. of page 2)

Absorb liquid components with liquid-binding material. **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## 7 Handling and storage

#### · Handling:

· Precautions for safe handling Only adequately trained personnel should handle this product. For use in dentistry only. Keep away from heat and direct sunlight. Open and handle receptacle with care. Use only in well ventilated areas. Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. · Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and receptacles: Store in a cool location. Store only in the original receptacle. Observe official regulations on storing packagings with pressurised containers. · Information about storage in one common storage facility: Not required. • Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 67-63-0 propan-2-ol

WES Short-term value: 1230 mg/m<sup>3</sup>, 500 ppm Long-term value: 983 mg/m<sup>3</sup>, 400 ppm

• Additional information: The lists valid during the making were used as basis.

#### · Exposure controls

· Personal protective equipment:

General protective and hygienic measures:

Usual hygienic measures for dental practice and dental laboratories.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

## Avoid contact with the eyes.

• **Respiratory protection:** Not necessary if room is well-ventilated.

(Contd. on page 4)

<sup>-</sup> NZ

Printing date 11.12.2019

Version number 4

Revision: 11.12.2019

## Trade name: IPS e.max CAD Crystall./Glaze Spray

(Contd. of page 3) In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### · Protection of hands:

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. After use of gloves apply skin-cleaning agents and skin cosmetics.* 

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and c	chemical properties
General Information	
Appearance:	
Form:	Aerosol
Colour:	Whitish
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling ra	i <b>nge:</b> Not applicable, as aerosol.
Flash point:	Not applicable, as aerosol.
Flammability (solid, gas):	Not applicable.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	<i>Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.</i>
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.

Printing date 11.12.2019

Version number 4

Revision: 11.12.2019

## Trade name: IPS e.max CAD Crystall./Glaze Spray

(Contd. of page 4)

Viscosity:

Dynamic:

Kinematic: Other information Not determined. Not determined. No further relevant information available.

## **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Danger of explosion.
- Conditions to avoid Keep away from heat and direct sunlight.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

## **11** Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information: No further relevant information available.

## **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

- system.
- Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- $\cdot$  Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

NZ

Printing date 11.12.2019

Version number 4

Revision: 11.12.2019

# Trade name: IPS e.max CAD Crystall./Glaze Spray

(Contd. of page 5)

• Uncleaned packaging: • Recommendation: Disposal must be made according to official regulations.

UN-Number ADR/RID/ADN, IMDG, IATA	UN1950
UN proper shipping name ADR/RID/ADN IMDG	1950 AEROSOLS AEROSOLS
	AEROSOLS, flammable
Transport hazard class(es)	
ADR/RID/ADN	
Class	2 5F Gases.
Label	2.1
Class Label	2.1 2.1
Packing group ADR/RID/ADN, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user Danger code (Kemler):	Warning: Gases.
EMS Number:	F-D,S-U
Stowage Code Segregation Code	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the
	appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

Printing date 11.12.2019

#### Version number 4

Revision: 11.12.2019

## Trade name: IPS e.max CAD Crystall./Glaze Spray

	(Contd. of page 6)
· Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	1L
$\cdot$ Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· Transport category	2
Tunnel restriction code	D
·IMDG	
· Limited quantities (LQ)	1L
$\cdot$ Excepted quantities ( $\widetilde{E}Q$ )	Code: E0
	Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN 1950 AEROSOLS, 2.1

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

<ul> <li>Safety, health and environmental regulations/legislation specific for the substance or mixture</li> <li>New Zealand Inventory of Chemicals</li> </ul>	ire
CAS: 75-28-5 isobutane	
CAS: 67-63-0 propan-2-ol	
· HSNO Approval numbers	
CAS: 67-63-0 propan-2-ol	HSR001180
• GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). • Hazard pictograms	
GHS07	
<ul> <li>Signal word Warning</li> <li>Hazard statements <ul> <li>May be harmful if inhaled.</li> <li>Causes serious eye irritation.</li> <li>May cause drowsiness or dizziness.</li> </ul> </li> <li>Precautionary statements <ul> <li>Keep away from heat/sparks/open flames/hot surfaces. No smoking.</li> <li>Do not spray on an open flame or other ignition source.</li> <li>Do not pierce or burn, even after use.</li> <li>Do not breathe spray.</li> </ul> </li> <li>Wear eye protection / face protection.</li> <li>Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.</li> </ul>	
• Directive 2012/18/EU • Named dangerous substances - ANNEX I None of the ingredients is listed.	
• National regulations: • Other regulations, limitations and prohibitive regulations The product is a medical device according to the Directive 93/42/EEC.	(Contd. on page 8

Printing date 11.12.2019

#### Version number 4

Revision: 11.12.2019

## Trade name: IPS e.max CAD Crystall./Glaze Spray

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H333 May be harmful if inhaled. H336 May cause drowsiness or dizziness. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 5: Acute toxicity - Category 5 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3