

Safety Data Sheet
in accordance with HSNO

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

1 Identification of the substance or mixture and of the supplier

- **Product identifier**
- **Trade name:** *IPS e.max ZirCAD MT Colouring Liquid D2 / IPS e.max ZirCAD LT Colouring Liquid A1, A2 D3*
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Manufacture of dental prosthesis
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ivoclar Vivadent AG
Bendererstrasse 2
9494 Schaan
PRINCIPALITY OF LIECHTENSTEIN
Tel: +423 235 35 35 / Fax: +423 235 33 60
- **Importer:**
Ivoclar Vivadent Ltd
12 Omega St, Rosedale, Auckland
New Zealand
Tel: + 64 9 914 9999 / Fax: + 64 9 914 9990
- **Further information obtainable from:**
Regulatory Affairs
sds@ivoclarvivadent.com
- **Emergency telephone number:** 0800 764 766 (National Poison Centre - 24 hours / 7 days)

2 Hazards identification

- **Classification of the substance or mixture**
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
- **Label elements**
- **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**
inorganic nitrate salts
- **Hazard statements**
Causes severe skin burns and eye damage.
- **Precautionary statements**
Wear protective gloves/protective clothing/eye protection/face protection.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet in accordance with HSNO

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

**Trade name: IPS e.max ZirCAD MT Colouring Liquid D2 / IPS e.max ZirCAD LT
Colouring Liquid A1, A2 D3**

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/Information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7782-61-8	Iron(III) nitrate nonahydrate Ox. Sol. 2, H272; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	2.5-10%
CAS: 10031-51-3	Erbium(III) nitrate pentahydrate Ox. Sol. 2, H272; Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	<2.5%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**
- **After inhalation:**
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:**
Rinse opened eye for several minutes under running water.
Call a doctor immediately.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Seek medical treatment.
- **Information for doctor:**
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

Safety Data Sheet in accordance with HSNO

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

**Trade name: IPS e.max ZirCAD MT Colouring Liquid D2 / IPS e.max ZirCAD LT
Colouring Liquid A1, A2 D3**

(Contd. of page 2)

- **Reference to other sections**
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
- Only adequately trained personnel should handle this product.
- For use in dentistry only.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
- Keep container tightly sealed.
- Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
- Usual hygienic measures for dental practice and dental laboratories.
- Keep away from foodstuffs, beverages and feed.
- Wash hands before breaks and at the end of work.
- Immediately remove all soiled and contaminated clothing
- Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
After use of gloves apply skin-cleaning agents and skin cosmetics.

- **Material of gloves**
- Natural rubber, NR
- Chloroprene rubber, CR
- Nitrile rubber, NBR
- Butyl rubber, BR

(Contd. on page 4)

Safety Data Sheet in accordance with HSNO

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

**Trade name: IPS e.max ZirCAD MT Colouring Liquid D2 / IPS e.max ZirCAD LT
Colouring Liquid A1, A2 D3**

(Contd. of page 3)

Fluorocarbon rubber (Viton)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Fluid
· Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.

· **pH-value at 20 °C:** < 2

· **Change in condition**

· Melting point/freezing point:	Undetermined.
· Initial boiling point and boiling range:	Undetermined.

· **Flash point:** Undetermined.

· **Flammability (solid, gas):** Not applicable.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Vapour pressure:** Not determined.

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with water:** Soluble.

· **Partition coefficient: n-octanol/water:** Not determined.

· **Viscosity:**

· **Dynamic:** Not determined.

· **Kinematic:** Not determined.

· **Other information** No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.

(Contd. on page 5)

Safety Data Sheet in accordance with HSNO

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

**Trade name: IPS e.max ZirCAD MT Colouring Liquid D2 / IPS e.max ZirCAD LT
Colouring Liquid A1, A2 D3**

(Contd. of page 4)

- **Chemical stability** Stable under normal handling and storage conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None under normal conditions of storage and use.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Irritating effect.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|----------------------------------|--|
| · UN-Number | |
| · ADR/RID/ADN, IMDG, IATA | UN3264 |
| · UN proper shipping name | |
| · ADR/RID/ADN | 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (inorganic nitrate salts) |
| · IMDG, IATA | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (inorganic nitrate salts) |

(Contd. on page 6)

-NZ

Safety Data Sheet in accordance with HSNO

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

**Trade name: IPS e.max ZirCAD MT Colouring Liquid D2 / IPS e.max ZirCAD LT
Colouring Liquid A1, A2 D3**

(Contd. of page 5)

· **Transport hazard class(es)**· **ADR/RID/ADN**

· **Class** 8 (C1) Corrosive substances.
 · **Label** 8

· **IMDG, IATA**

· **Class** 8 Corrosive substances.
 · **Label** 8

· **Packing group**· **ADR/RID/ADN, IMDG, IATA** II· **Environmental hazards:** Not applicable.

· **Special precautions for user** Warning: Corrosive substances.
 · **Danger code (Kemler):** 80
 · **EMS Number:** F-A,S-B
 · **Segregation groups** Acids
 · **Stowage Category** B
 · **Stowage Code** SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of Marpol
and the IBC Code** Not applicable.

· **Transport/Additional information:**· **ADR/RID/ADN**

· **Limited quantities (LQ)** 1L
 · **Excepted quantities (EQ)** Code: E2
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 500 ml

· **Transport category** 2· **Tunnel restriction code** E· **IMDG**

· **Limited quantities (LQ)** 1L
 · **Excepted quantities (EQ)** Code: E2
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN 3264 CORROSIVE LIQUID, ACIDIC,
INORGANIC, N.O.S. (INORGANIC NITRATE SALTS),
8, II

NZ

(Contd. on page 7)

Safety Data Sheet in accordance with HSNO

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

**Trade name: IPS e.max ZirCAD MT Colouring Liquid D2 / IPS e.max ZirCAD LT
Colouring Liquid A1, A2 D3**

(Contd. of page 6)

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **New Zealand Inventory of Chemicals**

All ingredients are listed.

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS05

· **Signal word** *Danger*

· **Hazard-determining components of labelling:**

inorganic nitrate salts

· **Hazard statements**

Causes severe skin burns and eye damage.

· **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*

· **National regulations:**

· **Other regulations, limitations and prohibitive regulations**

The product is a medical device according to the Directive 93/42/EEC.

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H272 May intensify fire; oxidiser.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 8)

Safety Data Sheet
in accordance with HSNO

Printing date 06.12.2019

Version number 2

Revision: 06.12.2019

Trade name: *IPS e.max ZirCAD MT Colouring Liquid D2 / IPS e.max ZirCAD LT Colouring Liquid A1, A2 D3*

(Contd. of page 7)

Ox. Sol. 2: Oxidizing solids – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

-NZ-