

Safety Data Sheet
in accordance with HSNO

Printing date 29.05.2024


Version number 4

Revision: 29.05.2024

1 Identification of the substance or mixture and of the supplier

- **Product identifier**
- **Trade name:** ***Monobond Etch & Prime***
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** *Ceramic primer*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*Ivoclar Vivadent AG
Bendererstrasse 2
9494 Schaan
PRINCIPALITY OF LIECHTENSTEIN
Tel: +423 235 35 35 / Fax: +423 235 33 60*
- **Importer:**
*Ivoclar Vivadent Ltd.
12 Omega St, Rosedale, Auckland
New Zealand
Tel: + 64 9 914 9999 / Fax: + 64 9 914 9990*
- **Further information obtainable from:**
*Regulatory Affairs
sds@ivoclar.com*
- **Emergency telephone number:** *0800 764 766 (National Poison Centre - 24 hours / 7 days)*

2 Hazards identification

- **Classification of the substance or mixture**
*Flam. Liq. 3 H226 Flammable liquid and vapour.
Acute Tox. 4 H302 Harmful if swallowed.
Acute Tox. 4 H332 Harmful if inhaled.
Skin Corr. 1C H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.*
- **Label elements**
- **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**

GHS02 GHS05 GHS07
- **Signal word** *Danger*
- **Hazard-determining components of labelling:**
*tetrabutylammonium dihydrogen trifluoride
butanol
Bis(triethoxysilyl)ethane*
- **Hazard statements**
*Flammable liquid and vapour.
Harmful if swallowed or if inhaled.
Causes severe skin burns and eye damage.*

(Contd. on page 2)

Safety Data Sheet in accordance with HSNO

Printing date 29.05.2024

Version number 4

Revision: 29.05.2024

Trade name: Monobond Etch & Prime

(Contd. of page 1)

May cause respiratory irritation. May cause drowsiness or dizziness.

· **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Store in a well-ventilated place. Keep cool.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/Information on ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 78-92-2 EINECS: 201-158-5	butanol Flam. Liq. 3, H226; Eye Irrit. 2, H319; STOT SE 3, H335-H336	10-25%
CAS: 99337-56-1	tetrabutylammonium dihydrogen trifluoride Acute Tox. 3, H301; Acute Tox. 3, H311; Skin Corr. 1C, H314; Eye Dam. 1, H318; Acute Tox. 4, H332	2.5-10%
CAS: 85590-00-7	methacrylated phosphoric acid ester Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	2.5-10%
CAS: 16068-37-4 EINECS: 240-212-2	Bis(triethoxysilyl)ethane Acute Tox. 3, H301; Acute Tox. 4, H312; Eye Irrit. 2, H319	<2.5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately rinse with water.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire fighting measures

· **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

(Contd. on page 3)

Safety Data Sheet in accordance with HSNO

Printing date 29.05.2024

Version number 4

Revision: 29.05.2024

Trade name: **Monobond Etch & Prime**

(Contd. of page 2)

- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Only adequately trained personnel should handle this product.
For use in dentistry only.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.

- **Ingredients with limit values that require monitoring at the workplace:**

CAS: 78-92-2	butanol
--------------	---------

WES	Long-term value: 303 mg/m ³ , 100 ppm
-----	--

- **Regulatory information** WES: Workplace Exposure Standards and Biological Exposure Indices
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Usual hygienic measures for dental practice and dental laboratories.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Immediately remove all soiled and contaminated clothing
Avoid contact with the eyes and skin.

(Contd. on page 4)

-NZ

Safety Data Sheet in accordance with HSNO

Printing date 29.05.2024

Version number 4

Revision: 29.05.2024

Trade name: **Monobond Etch & Prime**

(Contd. of page 3)

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**



Protective gloves (EN 374)

After use of gloves apply skin-cleaning agents and skin cosmetics.

· **Material of gloves**

Fluorocarbon rubber (Viton)

Butyl rubber, BR

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles (EN 166)

9 Physical and chemical properties

· **General Information**

· **Appearance:**

- **Form:** Liquid
- **Colour:** Green
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **pH-value:** Not determined.

· **Change in condition**

- **Melting point/freezing point:** Undetermined.
- **Initial boiling point and boiling range:** Undetermined.
- **Flash point:** 34 °C
- **Flammability (solid, gas):** Not applicable.
- **Decomposition temperature:** Not determined.
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

- **Lower:** Not determined.
- **Upper:** Not determined.
- **Vapour pressure:** Not determined.
- **Density:** Not determined.
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.
- **Solubility in / Miscibility with**
- **water:** Fully miscible.
- **Partition coefficient: n-octanol/water:** Not determined.

(Contd. on page 5)

NZ

Safety Data Sheet in accordance with HSNO

Printing date 29.05.2024

Version number 4

Revision: 29.05.2024

Trade name: **Monobond Etch & Prime**

(Contd. of page 4)

- | | |
|----------------------------|--|
| · Viscosity: | |
| · Dynamic: | Not determined. |
| · Kinematic: | Not determined. |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal handling and storage conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None under normal conditions of storage and use.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**
Harmful if swallowed or if inhaled.
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**
May cause respiratory irritation. May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

-NZ

Safety Data Sheet in accordance with HSNO

Printing date 29.05.2024

Version number 4

Revision: 29.05.2024

Trade name: **Monobond Etch & Prime**




(Contd. of page 5)

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **NZS/RID/ADN, IMDG, IATA** UN2924
- **UN proper shipping name**
- **NZS/RID/ADN** 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S.
(BUTANOLS, tetrabutylammonium dihydrogen trifluoride)
- **IMDG, IATA** FLAMMABLE LIQUID, CORROSIVE, N.O.S.
(BUTANOLS, tetrabutylammonium dihydrogen trifluoride)
- **Transport hazard class(es)**
- **NZS/RID/ADN**
- 
- **Class** 3 (FC) Flammable liquids.
- **Label** 3+8
- **IMDG**
- 
- **Class** 3 Flammable liquids.
- **Label** 3/8
- **IATA**
- 
- **Class** 3 Flammable liquids.
- **Label** 3 (8)
- **Packing group**
- **NZS/RID/ADN, IMDG, IATA** III
- **Environmental hazards:** Not applicable.
- **Special precautions for user** Warning: Flammable liquids.

(Contd. on page 7)

Safety Data Sheet in accordance with HSNO

Printing date 29.05.2024

Version number 4

Revision: 29.05.2024

Trade name: **Monobond Etch & Prime**

(Contd. of page 6)

· Hazard identification number (Kemler code):	38
· Hazchem or Emergency Action Code:	•3W
· EMS Number:	F-E,S-C
· Stowage Category	A
· Stowage Code	SW2 Clear of living quarters.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· NZS/RID/ADN	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (BUTANOLS, TETRABUTYLAMMONIUM DIHYDROGEN TRIFLUORIDE), 3 (8), III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **New Zealand Inventory of Chemicals**

CAS: 78-92-2	butanol
CAS: 16068-37-4	Bis(triethoxysilyl)ethane

· **HSNO Approval numbers**

CAS: 78-92-2 butanol	HSR001098
----------------------	-----------

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02 GHS05 GHS07

· **Signal word** Danger

· **Hazard-determining components of labelling:**

tetrabutylammonium dihydrogen trifluoride
butanol

Bis(triethoxysilyl)ethane

· **Hazard statements**

Flammable liquid and vapour.

Harmful if swallowed or if inhaled.

(Contd. on page 8)

NZ

Safety Data Sheet in accordance with HSNO

Printing date 29.05.2024

Version number 4

Revision: 29.05.2024

Trade name: Monobond Etch & Prime

(Contd. of page 7)

Causes severe skin burns and eye damage.

May cause respiratory irritation. May cause drowsiness or dizziness.

· **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Store in a well-ventilated place. Keep cool.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category P5c** FLAMMABLE LIQUIDS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5000 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50000 t

· **National regulations:**

· **Other regulations, limitations and prohibitive regulations**

The product is a medical device according to Regulation 2017/745 on Medical Devices (MDR).

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

· **Contact:**

· **Abbreviations and acronyms:**

IMO: International Maritime Organization

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. on page 9)

Safety Data Sheet
in accordance with HSNO

Printing date 29.05.2024

Version number 4

Revision: 29.05.2024

Trade name: **Monobond Etch & Prime**

Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
· *** Data compared to the previous version altered.**

(Contd. of page 8)

NZ