

Safety Data Sheet
in accordance with HSNO

Printing date 31.01.2020



Version number 4

Revision: 31.01.2020

1 Identification of the substance or mixture and of the supplier

- **Product identifier**
- **Trade name:** ***VivaStyle Paint On Plus***
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Tooth whitening varnish
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ivoclar Vivadent AG
Bendererstrasse 2
9494 Schaan
PRINCIPALITY OF LIECHTENSTEIN
Tel: +423 235 35 35 / Fax: +423 235 33 60
- **Importer:**
Ivoclar Vivadent Pty. Ltd.
12 Omega St, Rosedale, Auckland
New Zealand
Tel: + 64 9 914 9999 / Fax: + 64 9 914 9990
- **Further information obtainable from:**
Regulatory Affairs
sds@ivoclarvivadent.com
- **Emergency telephone number:** 0800 764 766 (National Poison Centre - 24 hours / 7 days)

2 Hazards identification

- **Classification of the substance or mixture**
Flam. Liq. 2 H225 Highly flammable liquid and vapour.
Acute Tox. 5 H333 May be harmful if inhaled.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
- **Label elements**
- **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**


 GHS02 GHS05
- **Signal word** Danger
- **Hazard-determining components of labelling:**
hydrogen peroxide solution
- **Hazard statements**
Highly flammable liquid and vapour.
May be harmful if inhaled.
Causes severe skin burns and eye damage.
- **Precautionary statements**
Keep out of reach of children.
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Keep container tightly closed.

(Contd. on page 2)

Safety Data Sheet in accordance with HSNO

Printing date 31.01.2020

Version number 4

Revision: 31.01.2020

Trade name: VivaStyle Paint On Plus

(Contd. of page 1)

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Additional information:

Cosmetics which fall under Regulation (EC) 1223/2009 are exempt from the labeling requirements of Directive 1999/45/EC and Regulation (EC) 1272/2008.

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/Information on ingredients

Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 64-17-5	ethanol	50-100%
EINECS: 200-578-6	Flam. Liq. 2, H225	
CAS: 7722-84-1	hydrogen peroxide solution	2.5-10%
EINECS: 231-765-0	Ox. Liq. 1, H271; Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H332	

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire fighting measures

Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray.

CO₂, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

(Contd. on page 3)

Safety Data Sheet in accordance with HSNO

Printing date 31.01.2020

Version number 4

Revision: 31.01.2020

Trade name: VivaStyle Paint On Plus

(Contd. of page 2)

- **Additional information** Cool endangered receptacles with water spray.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Only adequately trained personnel should handle this product.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep container tightly sealed.
Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

CAS: 64-17-5 ethanol	
WES	Long-term value: 1880 mg/m ³ , 1000 ppm
CAS: 7722-84-1 hydrogen peroxide solution	
WES	Long-term value: 1.4 mg/m ³ , 1 ppm

- **Additional information:** The lists valid during the making were used as basis.

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Usual hygienic measures for dental practice and dental laboratories.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Do not inhale gases / fumes / aerosols.

(Contd. on page 4)

Safety Data Sheet in accordance with HSNO

Printing date 31.01.2020

Version number 4

Revision: 31.01.2020

Trade name: VivaStyle Paint On Plus

(Contd. of page 3)

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. After use of gloves apply skin-cleaning agents and skin cosmetics.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Viscous
· Colour:	Colourless
· Odour:	Alcohol-like
· Odour threshold:	Not determined.

· **pH-value:** 6.5 - 7.5

· **Change in condition**

· Melting point/freezing point:	Undetermined.
· Initial boiling point and boiling range:	78 °C

· **Flash point:** 13 °C

· **Flammability (solid, gas):** Not applicable.

· **Ignition temperature:** 425 °C

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.

· **Explosion limits:**

· Lower:	3.5 Vol %
· Upper:	15.0 Vol %

· **Vapour pressure at 20 °C:** 59 hPa

· **Density at 20 °C:** 0.85 g/cm³

(Contd. on page 5)

Safety Data Sheet in accordance with HSNO

Printing date 31.01.2020

Version number 4

Revision: 31.01.2020

Trade name: VivaStyle Paint On Plus

(Contd. of page 4)

· Relative density	<i>Not determined.</i>
· Vapour density	<i>Not determined.</i>
· Evaporation rate	<i>Not determined.</i>
· Solubility in / Miscibility with water:	<i>Fully miscible.</i>
· Partition coefficient: n-octanol/water:	<i>Not determined.</i>
· Viscosity:	
· Dynamic:	<i>Not determined.</i>
· Kinematic:	<i>Not determined.</i>
· Other information	<i>No further relevant information available.</i>

10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability** *Stable under normal handling and storage conditions.*
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions**
Reacts with certain metals.
Reacts with alkali (lyes).
Reacts with organic substances.
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *None under normal conditions of storage and use.*

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**
- **Skin corrosion/irritation** *No irritant effect.*
- **Serious eye damage/irritation** *Irritating effect.*
- **Respiratory or skin sensitisation** *No sensitising effects known.*
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Irritant

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** *No further relevant information available.*
- **Mobility in soil** *No further relevant information available.*
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

-NZ-

Safety Data Sheet in accordance with HSNO

Printing date 31.01.2020

Version number 4

Revision: 31.01.2020

Trade name: VivaStyle Paint On Plus



(Contd. of page 5)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|---|
| <ul style="list-style-type: none"> · UN-Number · ADR/RID/ADN, IMDG, IATA | <p style="text-align: right;">UN1170</p> |
| <ul style="list-style-type: none"> · UN proper shipping name · ADR/RID/ADN · IMDG · IATA | <p style="text-align: right;">1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)</p> <p style="text-align: right;">ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)</p> <p style="text-align: right;">ETHANOL SOLUTION</p> |
| <ul style="list-style-type: none"> · Transport hazard class(es) · ADR/RID/ADN | <div style="text-align: center;">  </div> |
| <ul style="list-style-type: none"> · Class · Label | <p style="text-align: right;">3 (F1) Flammable liquids.</p> <p style="text-align: right;">3</p> |
| <ul style="list-style-type: none"> · IMDG, IATA | <div style="text-align: center;">  </div> |
| <ul style="list-style-type: none"> · Class · Label | <p style="text-align: right;">3 Flammable liquids.</p> <p style="text-align: right;">3</p> |
| <ul style="list-style-type: none"> · Packing group · ADR/RID/ADN, IMDG, IATA | <p style="text-align: right;">II</p> |
| <ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: | <p style="text-align: right;">No</p> |
| <ul style="list-style-type: none"> · Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Category | <p style="text-align: right;">Warning: Flammable liquids.</p> <p style="text-align: right;">33</p> <p style="text-align: right;">F-E,S-D</p> <p style="text-align: right;">A</p> |

(Contd. on page 7)

Safety Data Sheet in accordance with HSNO

Printing date 31.01.2020

Version number 4

Revision: 31.01.2020

Trade name: VivaStyle Paint On Plus

(Contd. of page 6)

· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **New Zealand Inventory of Chemicals**

CAS: 64-17-5	ethanol
CAS: 7722-84-1	hydrogen peroxide solution

· **HSNO Approval numbers**

CAS: 64-17-5	ethanol	HSR001144
--------------	---------	-----------

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02 GHS05

· **Signal word** Danger

· **Hazard-determining components of labelling:**

hydrogen peroxide solution

· **Hazard statements**

Highly flammable liquid and vapour.

May be harmful if inhaled.

Causes severe skin burns and eye damage.

· **Precautionary statements**

Keep out of reach of children.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 8)

NZ

Safety Data Sheet in accordance with HSNO

Printing date 31.01.2020

Version number 4

Revision: 31.01.2020

Trade name: VivaStyle Paint On Plus

(Contd. of page 7)

If eye irritation persists: Get medical advice/attention.

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category P5c FLAMMABLE LIQUIDS**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50000 t
- **National regulations:**
- **Other regulations, limitations and prohibitive regulations**
The product is a cosmetic according to Regulation (EC) 1223/2009.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H271 May cause fire or explosion; strong oxidiser.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H332 Harmful if inhaled.

- **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 2: Flammable liquids – Category 2
- Ox. Liq. 1: Oxidizing liquids – Category 1
- Acute Tox. 4: Acute toxicity – Category 4
- Acute Tox. 5: Acute toxicity – Category 5
- Skin Corr. 1A: Skin corrosion/irritation – Category 1A
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1

-NZ-